


The new generation of industrial computed tomography The CT workstation  $\ensuremath{\text{exaCT}}_{\ensuremath{\mathbb{B}}}\ensuremath{\mathsf{M}}$ 



### Volume scanning technology Innovation with a family tradition

Founded in 1968, the family-owned, WEN-ZEL Metrology Group is one of the world's leading providers of high-precision coordinate and gear measurement technology WENZEL products continuously set unrivalled standards, that are characterised by

manufacturing quality and high precision. Through the acquisition of WENZEL Volumetrik in 2008, the WENZEL Group has extended its product portfolio into the sector along with industry leading measurement of industrial computed tomography (CT). software. When it comes to innovation, WENZEL Volumetrik is a leading innovator perfect addition to the coordinate meaamong CT manufacturers and specifically provides powerful and precise devices for


carrying out non-contact, non-destructive three dimensional measurements and testing of both internal and external structures of objects. This makes the volume scanning technology from Volumetrik the surement technology from the WENZEL Group.

## What is volume scanning technology?

Computed tomography has been used sional radiographic images of objects, the since the 1970s for medical applications. They constitute a further development of classic X-ray technology. While radios- dimensional volume data. copy X-ray devices reproduce two-dimen-

computed tomography volume scanning technology from WENZEL generates three Its deployment in the industrial sector

is relatively recent. The technology of the WENZEL computed tomography is adapted to industrial applications, so that internal and external structures of components can be captured completely.



Operating principle of the exaCT<sub>0</sub> M: The component is rotated in the path of the X-ray beam and a three-dimensional model is reconstructed from a number of two-dimensional projections

## Compact, precise and low-maintenance

If the name WENZEL appears on a new type of measuring machine, this stands ZEL Volumetrik now produces a range of for innovation, quality and service. The CT device variants that permits adaptation new exaCT<sub>®</sub> M combines decades of experience in measurement technology and The result is the exaCT<sub>®</sub> M, an appealing extraordinary quality of WENZEL along tomography workstation with a compact with the advanced expertise in CT devel- construction that is more powerful, precise opment from WENZEL Volumetrik. With a and with very low-maintenance, compared new modular system design concept and to devices from other manufacturers.

with innovative sensor technology, WENto different customer requirements.

### SAFETY INCLUDED

The new exaCT<sub>®</sub> workstation is a fully protected device based on the strict legal requirements of the German X-ray Directive and DIN 54113. Its use is non-hazardous for the operator.

There is also no danger from components that have been exposed to X-ray.





### Fields of application Can be used across various industries

Measurements with tactile or optical coordinate measurement machines cannot be carried out on every component. The  $exaCT_{\odot}$  volume scanning technology enables measurements to be taken inside objects. A further advantage is the rapid data acquisition and high density of the volume data. This makes its use technically and economically interesting, where complete scanning of the geometry is required in a short period of time.

# The exaCT solution for many tasks

The applications for the exaCT<sub>®</sub> workstation are measurement and testing technology where 3D data of complex internal and external structures are required. The tasks that can be performed with the exaCT\_ ${\odot}$  M are numerous and range from material analysis, through the testing of joining technology, right up to reverse

### TYPICAL COMPANY SECTORS WHERE THE exaCT<sub>®</sub> M IS USED

- Quality assurance
- Research and development
- Material testing
- Prototype assembly
- First article inspection
- Production

### TYPICAL INDUSTRIES FOR THE exaCT<sub>®</sub> M WORKSTATION

- Mechanical engineering
- Automobile manufacturers and suppliers
- Aeronautics and aerospace
- Foundries
- Metal processing and plastic moulding
- Medical engineering
- Mould and tool construction
- Electrical engineering / Electronics
- Metrology service providers
- Scientific research and development
- Reverse engineering

# MATERIALS THAT ARE SUITABLE FOR THE exaCT $_{\odot}$ M\*

- · Plastics (including elastomers)
- Ceramics
- Composites (e.g. CRP, GRP)
- Light metals
- Steel (thin-walled)
- Wood
- Plaster, resin, model-building materials
- Other materials

\* Prerequisite is the X-ray capability to penetrate the respective components

### Measurement technology

#### **Dimensional control**

The measurement of regular geometries and free-form surfaces as well as the corresponding volumes with the exaCT $_{\odot}$  M is accurate, non-contact and non-destructive. The measurement is carried out in the same way as with a conventional coordinate measurement machine – but also inside the components.

#### Wall thickness analysis

In many cases, components of specific wall thickness must be kept within tolerance. The exaCT $_{\odot}$  M provides quick, precise measurements which can be displayed by colour rendering.

#### Actual-to-nominal comparisons

The exaCT<sub>®</sub> M can check CAD nominal data against actual measured data on real parts or the size of the deviations of specific components in comparison to a 'master' part. Components that are subject to extended use, with a degree of wear on the components can be tested. Deviations can be displayed and evaluated by colour rendering, statistical evaluations or single point deviations.

#### Tool and component optimisation

The exaCT<sub>•</sub> M enables a significant reduction in the development cycles, during the sampling process. This is achieved through iterative compensation of material shrinkage in injection and casting moulds, hence considerably reducing costs.

### Development, rapid prototyping and reverse engineering

The exaCT $_{\odot}$  M can also be used for development, design or for the reconstruction on the basis of existing components. In the case of reverse engineering, CAD-compatible data can be generated.

engineering. The following applications provide an overview.

### Testing technology

#### Material defect analyses

The exaCT<sub>®</sub> M can be used to examine workpieces non-destructively for material defects such as cracks, pores, pinholes, inclusions, inhomogeneities or variations in density. The defects are displayed and evaluated as 2D sectional representations or 3D representations in which virtually any 3D sections can be placed.

#### Structural analyses

Flaws, delaminations (especially in composites) or material defects that are attributed to incorrect or deficient material composition or structure can be detected reliably with the  $exaCT_{\odot}M$  and analysed using 2D or 3D visualisations.

#### Assembly tests

Assemblies can be inspected with the  $exaCT_{\odot}M$  in order to check assembly results. This makes it possible to ascertain whether the position of separate components match one another, or parts have been wrongly assembled, or seals are defective, etc. Even malfunctions that are no longer visible after cutting or disassembly can be detected.

#### Joining technology testing

The exaCT  $_{\odot}$  M can be used to quickly identify and analyse defective joints non-destructively during welding, soldering, riveting or gluing.

#### **Electronics** testing

The exaCT $_{\odot}$  M can be used for checking soldered or glued joints in electronic components. Joints and attachments that are defective are visible on the tomographic result.

### Product advantages Superior point by point

The new exaCT<sub>®</sub> M computed tomography not only partially superior, but point by workstation has an innovative system concept. WENZEL Volumetrik has systematically concentrated on the specific needs of the user. The result is a device that is integrated desk serves as a workspace for

point to comparable devices. The exaCT® M is based on a modular system concept with an exceptional system stability. The measurement and data analysis forming a perfectly designed, ergonomic workstation. Also integrated: software, service, consultation and training.

High-precision mechanics from our own production line

WENZEL Volumetrik

ETATI

Assistance in setting up also provided

11-00

#### Detector for industrial use

The detector integrated in the exaCT<sub>e</sub> M is a proprietary development of WENZEL Volumetrik.It was specially optimised for metrological use in the industrial sector and provides excellent resolution, high dynamics provides excellent resolution, high dynamic and sensitivity – and hence a unique image quality.

#### Lower footprint with higher performance

#### Perfect operating ergonomics

# High level of proprietary manu-facture

There is a large amount of proprietary manu-facturing from WENZEL. For the  $exaCT_{@}$  M, this means: all of the installed components are perfectly matched to one another, the software has proven its performance in practice. Logical consequence: the need for servicing the system and the time and effort required for training are low.

#### Automatic loading door

Integrated in the operating concept, the softwarecontrolled door opens and closes at the right

#### Stable X-ray source

The X-ray source in the exaCT<sub>®</sub> M is characterised by its special stability. It is mainte-nance-free or low-maintenance, depending on the device variant.

#### Vibration damping

An integrated vibration damper is also included in the system, another feature that distinguishes the exaCT<sub>®</sub> M from other products on the market.



۲



 $\sim$ 

#### Safety and surveillance during operation

The operating status of the  $\mbox{exaCT}_{\odot}$  M is indicated by different colours of the signal lamp.

#### Air bearing precision

Linear guide ways with air bearings and a rotary table with air bearings are typical WEN-ZEL advantages. In comparison to other bearings, the air bear-

ing of WENZEL Präzision is vastly more pre-cise with wear-free operation.



#### Optimum price/performance ratio

The exaCT\_ $_{\otimes}\,M$  sets new benchmarks in terms of price/performance ratio. Therefore, computed tomography is now affordable, even for mediumsized companies.

#### Low-maintenance

The high manufacturing quality, the proven WEN-ZEL mechanics, air bearings and stable X-ray source lead to low maintenance and high availabil-ity. If still failure occurs, the global WENZEL Ser-vice organisation is just around your corner.

#### Integrated computing power and control cabinets

A high-performance computer cluster is integrated under the desk for rapid reconstruction of the 3D

volume data. A separate rack is not required in the 3D volume data. A separate rack is not required in the majority of instrument variants. The electronic components are also integrated in the lower part of the exaCT $_{\odot}$ M, removing the need for a separate control cabinet.

#### Integrated and consistent operating concept

The ease of operation and high performance of the application software are further highlights of the new system. The exaCT<sub>®</sub> control data acquisition software was developed for optimised control of the computer tomograph and the exaCT<sub>®</sub> Volume reconstruction software for precise calculation of the 3D volume data.

All software modules are integrated in a consistent operating concept just like the proven WENZEL evaluation tools, Metrosoft QUARTIS and Knotenpunkt PointMaster.

### Simply exaCT One idea in several models

The exaCT<sub>®</sub> M is based on a modular concept. This allows a number of device variants, according to customer requirements These are primarily differentiated by the X-ray source, the detector and by the component sizes that can be mea-

sured. Two versions of the exaCT<sub>®</sub> M CT workstation are also available - one that is integrated in a common desktop workstation for the computer tomograph with evaluation workspace and a special space-saving, pure measurement station.

WEHZEL

What connects all exaCT<sub>®</sub> M versions is the compact design (design patent protected), the sophisticated ergonomics and the idea of combining more performance and flexibility with a smaller footprint.

### Operating concept Beautifully simple and well conceived

Above all, the performance capability and the user friendliness of the integrated application software ensure that the full extent of the innovative device concept of the exaCT<sub>®</sub> M is brought to bear. The exaCT<sub>®</sub> control data acquisition software for opti- a direct link to the proven software prod-

mised control of the computer tomograph and the exaCT<sub>®</sub> Volume reconstruction software for precise calculation of the volume data was developed by WENZEL Volumetrik. The evaluation software of the exaCT<sub>®</sub> M has

### CT control and reconstruction

tem. Specially developed for industrial use, the CT control unit and reconstruction software ensure high precision and high quality results.

### Dimensional measurement


The decades of experience gained by WENZEL Metromec in 3-dimensional coordinate measurement technology is underlined in the key advantages that the Metrosoft QUARTIS measurement software also offers its users in the field of computed tomograph

- Clear, flexible and results-oriented user interface with proven construction and alignment functions
- rement report

Nominal-to-actual comparison and reverse engineering

The PointMaster software from WENZEL Knotenpunkt is one of the world's best surface generation tools which can be used to generate and process exact free-form surfaces from CT data. PointMaster also fulfils important functions for CT evaluations:

- Can be used for reverse engineering
- Nominal-to-actual comparisons against 3D CAD models, display using colour rendering





### **TWO TYPE OF INSTRU-**MENT MODELS

#### CT measurement and evaluation station

- Computer tomograph with integrated desk for measurement and evaluation
- Space requirement with desk (L x W x H): 2300 mm x 1290 mm x 1460 mm

#### **CT** measurement station

- Computer tomograph with integrated supporting table for measurement
- The evaluation is conducted at the desk
- Space requirement with supporting table  $(L \times W \times H)$ : 1600 mm x 960 mm x 1810 mm

### FLEXIBLE PERFORMANCE

Minimum*	Maximum*
WORK PIECE DIMENSIONS:	
100 mm	250 mm
300 mm	
DETECTOR:	
1,5 Megapixels	4 Megapixels
20 µm	100 µm
16 bit	
X-RAY SOURCE:	
80 kV	225 kV
50 W	1500 W
air (integrated)	water (integrated)
MECHANICS:	
Granite guide ways with air bearings	
Roller bearing	Air bearing
High-resolution optical precision measuring systems	
Calibration and test artifact acc. to VDI/VDE 2630 (draft)	
Full radiation protection chamber	
Close to wall or middle of the room installation possible	
Lateral and front	
	: 100 mm 300 1,5 Megapixels 20 µm 16 80 kV 50 W 30 kV 50 W air (integrated) 6 6 7 80 kV 50 W air (integrated) 7 8 6 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8

\* The technical data can lie between the minimum and maximum values, depending on customer requirements Technical changes reserved.

ucts of Metrosoft QUARTIS from WENZEL Metromec and PointMaster from WENZEL Knotenpunkt. Interfaces to other evaluation software packages such as VGStudio MAX are also offered.

### Applications One measurement - multiple evaluations

vealed in the specific application. The possible applications are, however, too numerous to mention them all. For this reason we have shown examples of spe- a functional and assembly check with cific applications here to make our advantages clear. As with the exaCT<sub>®</sub> volume ogy. Because of the non contact and non

The strengths of the exaCT<sub>®</sub> M are re-scanning technology, both material and geometry data are present, so multiple evaluations can be carried out on the basis of a single measurement such as material analysis and dimensional metrol-


destructive measurement, components that are not suitable for other measurement techniques, such as tactile or optical coordinate measurement machines can be examined. Fast and complete digitising of objects can be performed by scanning the overall geometry in a single

measurement step. Deviations from the nominal geometry can be visualised by colour rendering.Also semi-transparent representations can provide a rapid three-dimensional overview of defects in components. Finally, the segmentation

of different materials or sections within components can be used for carrying out assembly or material checks.

### Assembly check of a cellular phone housing







Sliding cellular phone housing

Virtual 3D section through the segmented cellular phone housing: The position of the individual parts is analysed when assembled

### Material and structural analysis of a hose





Transverse and longitudinal section through a hydraulic hose: the different rubber composition is revealed by grey tones. Inclusions in the material can be detected as bright points

### Defect analysis on a composite component



Composite component made of CRP and alu-

### Porosity analysis on an aluminium cast part



Aluminium cast part




### Dimensional measurement technology on a plastic component



Volume model of the component in semi-transparent display. The internal structures are visible



Virtual probing points



Measurement report; Shape and position tolerances are evaluated in the same way as with conventional coordi nate measurement machines

### Functional check and material analysis of a plug-type connector



Visualisation of the connector

Elastic silicon component




Virtual 3D section through the connector: the closing mechanism can be checked when it is closed.



### Nominal-to-actual comparison of a silicon component




3D visualisation of the interior




The colour rendering shows deviations throughout the component. The measurement flags show deviations at selected points












The gaps and correct assembly can be checked



The mesh structure can be visualised and analysed through material segmentation



The virtual 2D section shows porosity in the component



The volume rendering allows the analysis of the 3D honeycomb structure.



The 3D porosity analysis shows the size, distribution and position of the voids in the component

# At a glance $exaCT_{\ensuremath{\mathbb{R}}}M$ – The most important advantages

- High-performance computed tomography workstations with small footprint
- Precise, non contact and non destructive measurement, even inside components
- Versatile volume measurement technology: One measurement multiple evaluations
- · Latest generation of innovative detector technology
- Precision mechanics from WENZEL
- Excellent operating ergonomics
- · Ease of use of the proprietary data acquisition, reconstruction and evaluation software
- · Flexible system concept and device variants for adapting to a wide range of customer requirements
- Optimum price/performance ratio
- Low-maintenance



exaCT.



Wenzel Volumetrik GmbH Maggistraße 7 78224 Singen / Hohentwiel Germany Phone: +49-7731-14436-0 Fax: +49-7731-14436-299 info@volumetrik.com www.volumetrik.com



WENZEL